

APPENDIX B- ESC EPIC DOCUMENTATION

Infant Vitals	Infant Assessment	Infant Daily Cares/Sa...	Intake/Output	IV Assessment	Interventions	Interpreter	Eat, Sleep, Console A.
---------------	-------------------	--------------------------	---------------	---------------	---------------	-------------	------------------------

Eat, Sleep, Console Care Tool

- Poor eating due to Neonatal Abstinence Syndrome?
- Sleep less than 1 hour due to Neonatal Abstinence Syndrome?
- Unable to console within 10 minutes due to Neonatal Abstinence Syndrome?
- Soothing support used to console infant

Parental/caregiver presence since last assessment

Documenting “Yes” or “Much Support or Does not soothe in 10 min” will trigger:

Eat, Sleep, Console Actions (INITIATE Substance-Exposed Infant (Neonatal Abstinence Syndrome) (Newborn/NICU))	
Huddle recommended	Full team huddle recommended
Huddle decisions for Neonatal Abstinence Syndrome management	Optimize non-pharmacological care; Initiate ...
<input checked="" type="checkbox"/> Eat, sleep, console non-pharmacologic interventions	Skin-to-skin contact; Swaddling; Non-nutritive...
Skin-to-skin contact	<input type="text"/>
Swaddling	<input type="text"/>
Non-nutritive sucking	<input type="text"/>